



magnetized hard iron or steel magness. The Moon rod of Power can be inserted in a zinc or tin tube with both ends open or closed. (Length and diameter same as Sun rod.) The Moon grip or rod works as a kind of catalyst, to bring the Sun grip or rod into more powerful action.

The Sun rod of Power is composed of hard coal (carbon) specially hardened, in which the structure of the molecules is changed the way the molecules of iron are changed when converting iron into magness. (To convert iron into magness, the structure of iron moecules is changed by re-crystallization process, hardening, then it will retain the magnetism.) The process of hardening is heating to high temperature and then instantly cooling by submerging in water. (The rods of bard coal prepared for the electric arc lamps are excellent as Sun rods of Power.)

The hardened rod of coal can be inserted in a copper tube, with both ends open or closed (Length of rod six inches, diameter one inch or according to the grip of the band.)

"The Moon rod of Power is composed of hard lode stone, or pressed lode stone, (it may also be a rod of magnetized hard iron or steel magness. The Moon rod of Power can be inserted in a zinc or tin tube with both ends open or closed. (Length and diameter same as Sun rod.) The Moon grip or rod works as a kind of catalyst, to bring the Sun grip or rod into more powerful action.

The rods of power were known even long long ago, and the secret of their making knew only a few initiated.

The mysterious metal (bronze) auricalcum has tremendous power, and is composed of five metals, each having a definite color, white, black, red, blue and yellow. It is radioactive, and it hides the mystery of immaculate conception. Proportion of the metals is even. Then comes electron, composed of gold and silver, (40% and 60% silver), then a combination of silver 75% and zinc 25%; combination of copper and zinc, and also copper and tin. (Many combinations of bronze you can make figuring out planets and their relations and properties. Sun, gold; Moon, silver; Saturn, lead; Jupiter, tin; Mars, iron; Venus, copper; Mercury, mercury. Also minerals, coal, lode-stone, beryl, amber, tourmaline, rock crystal , hematite, etc. (Here text contains drawing of two figures rods, one figure is standing with a rod in each hand, one is sitting in the Egyptian meditation position, on a chair, back erect, feet flat on floor, hands on knees, with rods on knees. MM) The Egyptian master system postures for recharging the nervous energy, one should be relaxed and following the direction of the Sun. Objects shaped in different symbolic forms are also used throughout the world, like Babylonian maies (iron with silver inlay, with horned human head and head of the bull). In Tibet is used dorgee, etc."



This sculptural group symbolically reflects this phenomenon. The Yang cylinder is in the right hand of the god Horus. The male figure symbolizes the flow of Yang energy (the male principle). The deity is an embodiment of the energy plane. The Yin cylinder is in the left hand of the goddess Hathor, who represents the female principle, that is, the flow of Yin energy. In the center is the pharaoh with two

energy-giving hands directed towards him. The use of these Rods considerably helped the pharaoh to correct his nervous system energy thereby benefiting the immune system. The Rods had a beneficial effect on his health and physical condition. The correct use of the Rods also enabled the pharaoh, or other user, to prepare himself for "Communion with the Gods".

The cylinder for the right hand was made from copper and associated with the Sun (Yang). The cylinder for the left hand was made from zinc and associated with the Moon (Yin). To reinforce the properties of the cylinders, gold was added to the copper in the appropriate proportion, which is why the "Sun Cylinder" was also called the "Gold Cylinder". Silver was added to the "Moon Cylinder", which was accordingly called the "Silver Cylinder". These cylinders were produced in the proportions of the *Golden Section*. And their dimensions were based on the status of the given person's energy system, their health and also on the tasks being pursued.



*Cylinders of Pharaoh Pihopy II*  
*Photo from Metropolitan Art Museum, NY, 1998*

Placed within the Rods were minerals, often quartz crystals of different sizes, that were changed as the pharaoh made advances in the process of self-perfection or depending on the goal, health and energetic balance of the person working with the Rods. The filling in the initial phase was a fine-grained quartz, a special kind of white sand. The cylinders with white sand positively affect and activate a person's energetic streams. Next, the cylinders were filled with middle and coarse-grained quartz to achieve higher level of abilities. (These type of Rods we manufacture as "Rods Quartz") The next type of Rods contained quartz mono-crystals and were made for Priests, the masters of healing. The Rods would create a powerful energetic shield around the user, influencing the patient, harmonizing his energetic streams and allowing for coordination with signals from the master's mind. This type of the Rods we have named "Rods Crystal"



*The Pose from Egyptian Master-System for restoration of the nervous energy (one should relax and follow the Sun)*

## Videos

[http://www.youtube.com/watch?v=geXzaz10q1M&feature=player\\_embedded](http://www.youtube.com/watch?v=geXzaz10q1M&feature=player_embedded)

<http://www.youtube.com/watch?v=jxzfFrdm-MI&feature=related>

<http://www.youtube.com/watch?v=sUB7QiRC8PA&feature=related>

[http://www.youtube.com/watch?v=oHMmEIX\\_lkM&feature=related](http://www.youtube.com/watch?v=oHMmEIX_lkM&feature=related)

<http://www.youtube.com/watch?v=QFAhpqkUiKA&feature=related>

<http://www.youtube.com/watch?v=QVq1cKfv9M0&feature=related>

### Rod Construction Parameters

1. The Rods are two hollow cylinders, made of copper (for the right hand, Sun ) and of zinc (for the left hand, Moon ) with specific fillings for each type of Rod. The Rods' construction is based upon the manuscript of Count Walewsky.
2. All of the outer and inner Rods' dimensions are produced according to the proportions of the Golden Section.
3. The copper and zinc used for producing the cylinders are of very high quality.
4. To improve efficiency of The Rods, all of the components used in manufacturing the cylinders are conditioned inside the Pyramid for a minimum 12- day cycle. The Pyramid creates a powerful structural field able to correct inter-atom distances.


### RU2219973 STIMULATOR OF HUMAN ORGANISM

Inventor: UVAROV V M  
IPC: A61H39/00; A61N1/18; A61H39/00  
2003-12-27


**Abstract** -- FIELD : medical and biological equipment, applicable for influence on the processes of human vital activity, as well as for treatment of various diseases by untraditional methods.

**SUBSTANCE** : the stimulator has two electrodes made as hollow metal capsules of a permanent cross-section with a filter placed in the inner cavities, the cathode body is made of a copper alloy, and the anode is made of a zinc-containing alloy, containing nickel with silver, the proportion of nickel and silver contained in the alloy is selected from a series of relations 1:1, 1:2, 1:3, 2:3, 2:5, 3:2, 3:5, 3:8, 5:2, 5:3, 5:8, 8:3, 8:5. Each electrode may be made in the form of a regular prism. Both electrodes in cross-section are made round in the outer and/or inner contour, or have the shape of regular polygons, or have an elongated ellipsoid-like shape. The cathode contains coal as a filler in the form of a one-piece rod, or coal in large fractions. The anode contains as a filler a rod of iron or an alloy of iron and nickel. Both electrodes may contain as fillers crystals of quartz of different shape-monocrystals in the form of cylinders, prisms, crystals in the form of regular pyramids, flat prisms.


**EFFECT**: expanded store of technical components used for correcting influence on the human organism, as well as enhanced efficiency of the effect of the stimulator on the human organism due to selection of the stimulator characteristics individually for every patient.



Фиг. 1



Фиг. 2 Фиг. 3 Фиг. 4 Фиг. 5



Фиг. 6 Фиг. 7 Фиг. 8 Фиг. 9 Фиг. 10

RU2175254

## DEVICE FOR CORRECTING ENERGY


Inventor: UVAROV V M


IPC: A61N1/16; A61N5/00; A61N1/00

2001-10-27

**Abstract** -- Medical engineering. **SUBSTANCE:** device is shaped as tetrahedral pyramid from dielectric material containing internal chamber. The device has two parts of which the lower one is the basic chamber being manufactured as hollow truncated pyramid and the upper one is quartz end piece. Spiral-shaped antenna widening in downward direction and composed of three coils each of which is placed in the part of the truncated pyramid having its height equal to  $1/3$  of the corrector device height and internal resonance unit having conic shape narrowing in downward direction and placed along the vertical axis of the pyramid. Truncated pyramid facets are optionally produced from wood. One of them is deflectable. The internal resonator unit enables one to focus energy flows. It is manufactured as a rod or hollow tube with its lower end attached to the pyramid base. The internal resonator unit optionally has free inferior end. Both antenna and internal resonator unit of the corrector device are produced from metal. Support member is mounted in the truncated pyramid in parallel to the base for positioning objects under corrector energy treatment. The support member is 430 mm remote from the pyramid base. The support member is optionally two-leveled, its upper level being at  $1/3$  of pyramid height. The support member is optionally manufactured as table top with central opening for internal resonator unit. The antenna and internal resonator unit are optionally manufactured from stone or concrete material in lower part of large size pyramids. External and internal dimensions of the pyramid and antenna and internal resonator unit inside it are selected to be in golden section proportions.

**EFFECT:** enhanced effectiveness in improving human habitat conditions and stimulating internal processes in human organism.





<http://www.egyptianhealingrods.com/medical-recommendations.html>

### Medical Recommendations

A study of the effectiveness of the Rods was carried out in April 1993 and December 1995. Using modern equipment and the most advanced methods, a group of medical scientists from the Dzhanelidze First Aid Scientific Research Institute, St Petersburg, led by Dr. M.A. Nikulin, that were put forward for the Nobel Prize in 1990. A computer monitor displayed the data, received from the points, indicated the current internal organs' condition. The information was taken from the bio-active palm zones with the help of diagnostic methods. There were three stripes on the monitor: green - "organs' condition in order", red and blue - "disorder". For sure, everybody has its own particular dispersedness of these points: some of them are in the green zone, another outside it, thus it shows, that all of us have their disorders. Some minutes later people, holding the cylinders, experienced a little miracle: all of the points started to move towards the green zone.

"...During the first few minutes people under test, holding the cylinders, experience a powerful pulse wave from the left side to the right one. A sensation of the vessels filling with blood is registered that has been named "the vascular stage" by researchers. Infrared radiation increases from the right upper limb, and then the thermal field at the limbs evens out. Together with these changes in the subject's organism, a general rise in activity is observed, accompanied by an 8-10 beats per minute increase in pulse-rate. By the second minute a warming of the cervico-thoracic section of the spinal column with increased infrared radiation was observed. It follows, then, that the whole of the vegetative nervous system is drawn into the process, and there is an energetic activation of the tissues of both the upper limbs, and the body as a whole. As a consequence the headache is alleviated and blood pressure tends towards the norm." -from the experimental record

Dr M.A. Nikulin concluded the following: "When any pathologies within a human body are detected we observe a thermal asymmetry between the ill and healthy parts of the body. Held in hands, the cylinders equalize this thermal asymmetry, thus showing their therapeutic effect."

The cylindrical Rods can be recommended for people suffering from:

- cardio-vascular diseases
- early phase hypertension
- neurotrophic disorders

diseases of the excretory systems

insomnia (and also as a means stress reduction & arteriosclerosis prevention)

When carrying out a number of targeting experiments, Dr. M.A. Blank, specialist of the Oncological Center in Pesochny, discovered that the influence of the Rods creates a special condition in the organism making it more efficient at self-healing. According to the researches' conclusions the cylinders' influence "transfers" the organism to such a harmonized state, when it is much easier for it to cope up with all the troubles within. "There is a parameter that characterizes the functioning of cells - the respiratory waves of cells. Oncological condition of the organism suppresses those respiratory waves, but the cylinders, on the contrary, improve that parameter. But cancer is an extremely serious "citadel"; you won't seize it with such gentle means. Perhaps, it is worth using like a preventive measure, but this conclusion requires additional researches. One thing is clear: where cancer makes things bad, the cylinders try to make them a little better." Dr. Blank suggests that the Rods be recommended as a preventive remedy for people with transcontinental syndrome, whose business is connected with flights from one time zone to another (pilots, sportsmen, tourists, long-distance drivers, etc.) and when asynchronous modes of internal and external organism work causes headache and weakness.

The research, carried out in June 2000 by Polish bio-energetic doctors under the leadership of Marek Stavisky, showed that: "A surface of the zinc Rod radiates the ultraviolet spectrum. I use this spectrum for splitting the structures of malignant tumors and for freezing their activity. Another spectrum, that appears on the butt-end of the zinc Rod, is used for radiating the malignant tumors before operating." His studies show that the radiation provided only by the single zinc Rod can be successfully used for treating cancer. The set of the Rods-QUARTZ used in pair, provides the radiation that is effective for curing and for use by ill people for self-immune therapy.

The complex research carried out by the International Shaping Federation in March-June 2000 discovered that the Rods can be effectively used for quick reduction of physical and nervous tension and physical and spiritual power recovery after working or training hard.

Daily work with the Rods has a beneficial effect in cases of: -

over-agitation and nervous disorders

problems with arterial pressure

vegeto-vascular disorders

normalize the functioning of the heart in cases of arrhythmia and neuroses

improve circulatory processes, with a beneficial effect on blood vessels

each pain in the joints in cases of arthritis and gout

Note: The statements regarding these products have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure or prevent any disease. The information herein is designed for educational purposes only. It is not intended to be a substitute for informed medical advice or care. You should not use this information to diagnose or treat any health problems or illnesses without consulting your physician. Please consult a doctor with any questions or concerns you might have regarding your condition. Informational material and representations have been provided by the manufacturers of the products.

---

### Other Sources:

<http://www.egyptianrods.com/>

<http://www.injoyfulservice.com/>

<http://egyptianhealingrodsonline.com/>

<http://www.egyptianrodsforhealing.com/>

<http://egyptianhealingrods.org>

[http://www.themessenger444.com/Egyptian\\_Healing\\_Rods.html](http://www.themessenger444.com/Egyptian_Healing_Rods.html)

<http://www.rodsofra.com>

---

**Rex Research, POB 19250, Jean, NV 89019 USA**